

## **Premium Lawn Food**

## FOR YOUR GREENEST LAWN EVER!

Specially formulated for east Idaho soils. High Iron for deep green color. Slow Release Nitrogen for extended greening.



#### **CAUTION:**

**Iron stains concrete.** If this product comes in contact with sidewalks, driveways, or cement lawn fixtures, sweep product off with broom before rain or irrigation occurs.

**KEEP OUT OF REACH OF CHILDREN** 

27-3-4

Net Wt. 40 lbs. Covers 10,000 sq. ft.

Derived from: Polymer-coated urea. Ammonium sulphate, Urea, Monoammonium Phosphate, Muriate of potash, Iron sucrate

#### **GUARANTEED ANALYSIS**

Total Nitrogen	(N) 27%
6.86%	Ammoniacal Nitrogen
0.63%	Nitrate Nitrogen
16.20%	Water Insoluble Nitrogen
3.31%	Urea Nitrogen
Available Phos	sphate (P <sub>2</sub> O <sub>5</sub> ) 3%
Soluble Potasi	n (K <sub>2</sub> O) 4%
Sulfur (S)	
Iron (Fe)	

**Directions for use:** Apply evenly at the rate of 4 lbs. per 1,000 sq. ft. Use the settings below as a guide. They are not absolute. The speed the applicator walks and spreader condition can alter the rate of application. If product remains after application to recommended square foot coverage, spread remainder over same area going at right angles.

#### **Apply Only As Directed.**

Green Th	umb (Ea	rthwa	ay) b	roa	dca	ıst		.15
Scotts bro	oadcast							. 4
Scotts dro	р							. 7





Distributed by:



## **Premium Lawn Food**

## FOR YOUR GREENEST LAWN EVER!

Specially formulated for east Idaho soils. High Iron for deep green color. Slow Release Nitrogen for extended greening.



#### **CAUTION:**

**Iron stains concrete.** If this product comes in contact with sidewalks, driveways, or cement lawn fixtures, sweep product off with broom before rain or irrigation occurs.

KEEP OUT OF REACH OF CHILDREN

27-3-4

#### Net Wt. 20 lbs. Covers 5,000 sq. ft.

Derived from: Polymer-coated urea. Ammonium sulphate, Urea, Monoammonium Phosphate, Muriate of potash, Iron sucrate

#### **GUARANTEED ANALYSIS**

Total Nitrogen	(N)	27%
6.86%	Ammoniacal Nitrogen	
0.63%	Nitrate Nitrogen	
16.20%	Water Insoluble Nitrogen	
3.31%	Urea Nitrogen	
Available Phos	sphate (P <sub>2</sub> O <sub>5</sub> )	3%
Soluble Potasi	n (K <sub>2</sub> O)	4%
Sulfur (S)	 	6%
Iron (Fe)		5%

**Directions for use:** Apply evenly at the rate of 4 lbs. per 1,000 sq. ft. Use the settings below as a guide. They are not absolute. The speed the applicator walks and spreader condition can alter the rate of application. If product remains after application to recommended square foot coverage, spread remainder over same area going at right angles.

#### **Apply Only As Directed.**

Green Thumb (Earthway) broadcast 15
Scotts broadcast
Scotts drop





Distributed by:



## Lawn Winterizer

### MOST IMPORTANT FEEDING OF THE YEAR!

Apply in October or November. Increases winter hardiness. Specially formulated for east Idaho soils. Ensures early green-up next spring.



25-4-20

Net Wt. 40 lbs. Covers 10,000 sq. ft.

Derived from: Polymer-coated urea. Ammonium sulphate, Urea, Monoammonium Phosphate, Muriate of potash.

#### **GUARANTEED ANALYSIS**

Total Nitrogen	(N) 25%
1.98%	Ammoniacal Nitrogen
0.84%	Nitrate Nitrogen
7.50%	Water Insoluble Nitrogen
14.81%	Urea Nitrogen
Available Phos	sphate (P <sub>2</sub> O <sub>5</sub> ) 4%
Soluble Potas	h (K <sub>2</sub> O) 20%
Sulfur (S)	

**Directions for use:** Apply evenly at the rate of 4 lbs. per 1,000 sq. ft. Use the settings below as a guide. They are not absolute. The speed the applicator walks and spreader condition can alter the rate of application. If product remains after application to recommended square foot coverage, spread remainder over same area going at right angles.

#### **Apply Only As Directed.**

Green Thumb (Earthway) broadcast 15
Scotts broadcast
Scotts drop 7

KEEP OUT OF REACH OF CHILDREN





Distributed by:



# Lawn Winterizer

### MOST IMPORTANT FEEDING OF THE YEAR!

Apply in October or November. Increases winter hardiness. Specially formulated for east Idaho soils. Ensures early green-up next spring.



25-4-20

Net Wt. 20 lbs. Covers 5,000 sq. ft.

Derived from: Polymer-coated urea. Ammonium sulphate, Urea, Monoammonium Phosphate, Muriate of potash.

#### **GUARANTEED ANALYSIS**

lotal Nitrogen	(N) 25%
1.98%	Ammoniacal Nitrogen
0.84%	Nitrate Nitrogen
7.50%	Water Insoluble Nitrogen
14.81%	Urea Nitrogen
Available Pho	sphate (P <sub>2</sub> O <sub>5</sub> ) 4%
Soluble Potas	h (K <sub>2</sub> O) 20%
Sulfur (S)	

**Directions for use:** Apply evenly at the rate of 4 lbs. per 1,000 sq. ft. Use the settings below as a guide. They are not absolute. The speed the applicator walks and spreader condition can alter the rate of application. If product remains after application to recommended square foot coverage, spread remainder over same area going at right angles.

#### **Apply Only As Directed.**

Green Thumb (Earthway) broadcast 15
Scotts broadcast
Scotts drop 7

KEEP OUT OF REACH OF CHILDREN







# Seed & Sod Starter

### HELPS NEW LAWNS GROW FASTER AND STRONGER!

Apply to soil surface just prior to seeding or sodding. Promotes quicker development of strong root systems. Specially formulated for east Idaho soils.



19-24-6

Net Wt. 25 lbs. Covers 5,000 sq. ft.

Derived from: Ammonium sulphate, Urea, Monoammonium Phosphate, Muriate of potash.

#### **GUARANTEED ANALYSIS**

Total Nitrogen	ı (N)	19%
4.94%	Ammoniacal Nitrogen	
5.07%	Nitrate Nitrogen	
9.06%	Urea Nitrogen	
Available Pho	sphate (P <sub>2</sub> O <sub>5</sub> )	24%
Soluble Potas	sh (K <sub>2</sub> O)	6%
Sulfur (S)		5%

**Directions for use:** Apply evenly at the rate of 5 lbs. per 1,000 sq. ft. Use the settings below as a guide. They are not absolute. The speed the applicator walks and spreader condition can alter the rate of application. If product remains after application to recommended square foot coverage, spread remainder over same area going at right angles.

#### **Apply Only As Directed.**

Green Thumb (Earthway) broadcast	ί.		1	7
Scotts broadcast		5	1/	2
Scotts drop				8

KEEP OUT OF REACH OF CHILDREN



Distributed by:






## Fruit & Flower Food

### FOR COLORFUL FLOWERS AND A BOUNTIFUL HARVEST!

Specially formulated for east Idaho soils. Use on all berries, fruit trees, vegetables, flowers, roses, bulbs, and perennials. High in Iron and Sulfur to keep leaves from yellowing.



## 10-20-10

Net Wt. 25 lbs.

Derived from: Ammonium Sulfate, Urea, Monoammonium Phosphate, Muriate of potash, Iron Sucrate, elemental Sulfur.

#### **GUARANTEED ANALYSIS**

Total Nitrogen	(N)	10%
1.93%	Ammoniacal Nitrogen	
4.23%	Nitrate Nitrogen	
3.85%	Urea Nitrogen	
Available Phos	sphate (P <sub>2</sub> O <sub>5</sub> )	20%
Soluble Potasi	n (K <sub>2</sub> O)	10%
Sulfur (S)		17%
Iron (Fe)		6%

**Directions for use:** Apply evenly at the rate of 2 lbs. per 100 sq. ft. or 1/4 lb. (1/2 cup) per 100 sq. ft. or 10 feet of row. **Veggies and flowers** – Feed at time of planting and every 4 to 6 weeks. **Berries** – twice a year in April and June. **Fruit trees** – 1/2 lb. (1 cup) per inch of trunk diameter in spring and fall. **Roses** – 1/4 to 1/2 cup in April, May, and June. **Bulbs** – 1/2 teaspoon per bulb or 1/2 cup per 10 sq. ft. **Water the area thoroughly after application.** 

#### Apply Only As Directed.

#### **CAUTION:**

**Iron stains concrete.** If this product comes in contact with sidewalks, driveways, or cement lawn fixtures, sweep product off with broom before rain or irrigation occurs.

**KEEP OUT OF REACH OF CHILDREN** 





Distributed by:



# Tree & Shrub Food

## FOR HEALTHY, STRONG, BEAUTIFUL TREES & SHRUBS!

Specially formulated for east Idaho soils. Use on all evergreens, shade trees, fruit trees, and shrubs. Slow release nitrogen lasts up to 2 months.



#### **CAUTION:**

**Iron stains concrete.** If this product comes in contact with sidewalks, driveways, or cement lawn fixtures, sweep product off with broom before rain or irrigation occurs.

KEEP OUT OF REACH OF CHILDREN

19-8-10

Net Wt. 25 lbs.

Derived from: Polymer-coated Urea, Ammonium Sulfate, Urea, Monoammonium Phosphate, Muriate of Potash, elemental Sulfur, Iron Sucrate.

#### **GUARANTEED ANALYSIS**

Total Nitrogen	(N) 19%
_	Ammoniacal Nitrogen
	Nitrate Nitrogen
	Water Insoluble Nitrogen
3.85%	Urea Nitrogen
Available Phos	sphate (P <sub>2</sub> O <sub>5</sub> )
Soluble Potasi	h (K <sub>2</sub> O)

**Directions for use:** Feed twice a year in spring and fall. Apply evenly on the ground from the base to slightly beyond the widest spread of branches at the rate of 1 lb. (2 cups) per 100 sq. ft. **Trees** – Use 1/2 lb. (1 cup) per inch of trunk diameter up to 6". On trees over 6" in diameter use 1 lb. per additional inch diameter. **Shrubs** – Use 1/4 cup per 10 sq. ft. of soil area. **Water the area thoroughly after application.** 

**Apply Only As Directed.** 



Distributed by:

